ELSEVIER

Gene Structure and Expression

Vol. 1263, 1995

BBA Biochimica et Biophysica Acta

Author Index

Abe, K., see Domoto, C. (1263) 241
Abe, M., see Domoto, C. (1263) 241
Adar, R., see Bayer, E.A. (1263) 60
Adunyah, S.E., Chander, R., Barner, V.K. and Copper, R.S.
Regulation of c-jun mRNA expression by hydroxyurea in human K562 cells during erythroid differentiation (1263) 123
Aigle, M., see Revardel, E. (1263) 261
Arai, S., see Domoto, C. (1263) 241
Arbour, N.C., Darwish, H.M. and DeLuca, H.F.
Transcriptional control of the osteocalcin gene by 1,25-dihydroxyvitamin D-2 and its 24-epimer in rat osteosarcoma cells (1263) 147
Arcari, P., Raimo, G., Ianniciello, G., Gallo, M. and Bocchini, V.
The first nucleotide sequence of an archaeal elongation factor 1β gene (1263) 86
Arcot, S.S., Fontius, J.J., Deininger, P.L. and Batzer, M.A.
Identification and analysis of a 'young' polymorphic *Alu* element (1263) 99
Arezina-Wilson, J., see Musarrat, J. (1263) 201
Arpigny, J.L., Feller, G. and Gerday, C.
Corrigendum to "Cloning, sequence and structural features of a lipase from the antarctic facultative psychrophile *Psychrobacter immobilis* B10" [Biochim. Biophys. Acta 1171 (1993) 331–333] (1263) 103
Avots, A., see Serfling, E. (1263) 181

Ballesta, J.P.G., see Bermejo, B. (1263) 45
Ballhausen, W.G., see Mayer, K. (1263) 169
Baralle, F.E., see Caputi, M. (1263) 53
Barilá, D., Murgia, C., Nobili, F. and Perozzi, G.
Transcriptional regulation of the ezrin gene during rat intestinal development and epithelial differentiation (1263) 133
Barner, V.K., see Adunyah, S.E. (1263) 123
Batzer, M.A., see Arcot, S.S. (1263) 99
Bayer, E.A., Kulik, T., Adar, R. and Wilchek, M.
Close similarity among streptavidin-like, biotin-binding proteins from *Streptomyces* (1263) 60
Bellemare, G., see Hamel, F. (1263) 212
Bermejo, B., Prieto, J., Remacha, M., Coloma, A. and Ballesta, J.P.G.
Heterologous expression of the highly conserved acidic ribosomal phosphoproteins from *Dictyosteliumm discoideum* in *Saccharomyces cerevisiae* (1263) 45
Bindereif, A., see Wolff, T. (1263) 39
Bocchini, V., see Arcari, P. (1263) 86
Bonneau, M., see Revardel, E. (1263) 261
Breathnach, R., see Del Gatto, F. (1263) 93
Bredberg, A., see Sandor, Z. (1263) 235
Brevet, J., see Tietze, E. (1263) 176
Buchko, G.W., Wagner, J.R., Cadet, J., Raoul, S. and Weinfeld, M.
Methylene blue-mediated photooxidation of 7,8-dihydro-8-oxo-2′-deoxyguanosine (1263) 17
Burrell, L.M., see Hutchins, A.-M. (1263) 266

Cadet, J., see Buchko, G.W. (1263) 17
Caputi, M., Baralle, F.E. and Melo, C.A.
Analysis of the linkage between fibronectin alternative spliced sites during ageing in rat tissues (1263) 53
Chander, R., see Adunyah, S.E. (1263) 123
Chen, D., see Feng, J.Q. (1263) 163
Chen, K.-S. and DeLuca, H.F.
Cloning of the human 1α,25-dihydroxyvitamin D-3 24-hydroxylase gene promoter and identification of two vitamin D-responsive elements (1263) 1
Clevers, H., see Mayer, K. (1263) 169
Coloma, A., see Bermejo, B. (1263) 45
Copper, R.S., see Adunyah, S.E. (1263) 123
Cuzin, F., see Sage, J. (1263) 258

Darwish, H.M., see Arbour, N.C. (1263) 147
Deininger, P.L., see Arcot, S.S. (1263) 99
Del Gatto, F., Gilbert, E., Ronsin, C. and Breathnach, R.
Structure of the promoter for the human macrophage stimulating protein receptor gene (1263) 93
Del Mazo, J., see López-Fernández, L.A. (1263) 10
DeLuca, H.F., see Arbour, N.C. (1263) 147
DeLuca, H.F., see Chen, K.-S. (1263) 1
Domoto, C., Watanabe, H., Abe, M., Abe, K. and Arai, S.
Isolation and characterization of two distinct cDNA clones encoding corn seed cysteine proteinases (1263) 241
Dumont-Miscopein, A., Lavergne, J.-P. and Reboud, J.-P.
Properties of elongation factor-2 fragments obtained by partial proteolysis (1263) 221
Durgam, V.R., Easton, J.A., Surya, R. and Tekmal, R.R.
Structure of the *int-5*, a novel MMTV integration genomic locus containing mouse early transposon LTR homology region (1263) 89
Durrens, P., see Revardel, E. (1263) 261

Easton, J.A., see Durgam, V.R. (1263) 89
Esparza, J., see Feng, J.Q. (1263) 163

Fehér, Z. and Mishra, N.C.
An aphidicolin-resistant mutant of Chinese hamster ovary cell with altered DNA polymerase and 3′ exonuclease activities (1263) 141
Feller, G., see Arpigny, J.L. (1263) 103
Feng, J.Q., Chen, D., Esparza, J., Harris, M.A., Mundy, G.R. and Harris, S.E.
Deer antler tissue contains two types of bone morphogenetic protein 4 mRNA transcripts (1263) 163
Ferl, R.J., see Laughner, B. (1263) 67
Fontius, J.J., see Arcot, S.S. (1263) 99
Fragonas, J.-C., see Goldstone, S.D. (1263) 114
Fujita, T., Mandel, J.-L., Shirasawa, T., Hino, O., Shirai, T. and Maruyama, N.
Isolation of cDNA clone encoding human homologue of senescence marker protein-30 (SMP30) and its location on the X chromosome (1263) 249
Fukuchi, K., see Watanabe, H. (1263) 275

Gallo, M., see Arcari, P. (1263) 86
Gerday, C., see Arpigny, J.L. (1263) 103
Gilbert, E., see Del Gatto, F. (1263) 93
Goldstone, S.D., Fragonas, J.-C., Jeitner, T.M. and Hunt, N.H.
Transcription factors as targets for oxidative signalling during lymphocyte activation (1263) 114

Gomi, K., see Watanabe, H. (1263) 275
Goodspeed, D.C., see Kaisaki, P.J. (1263) 179
Graham, C., see Wistow, G. (1263) 105

Hamel, F. and Bellemare, G.
Characterization of a class I chitinase gene and of wound-inducible, root and flower-specific chitinase expression in *Brassica napus* (1263) 212
Hannah, S., see Levy, J.R. (1263) 253
Harris, M.A., see Feng, J.Q. (1263) 163
Harris, S.E., see Feng, J.Q. (1263) 163
Haywood-Farmer, A., see Nemec, A. (1263) 154
Herbers, J. and Scheit, K.H.
Promoter analysis of the bovine gene for seminalplasmin (1263) 271
Hino, O., see Fujita, T. (1263) 249
Hug, V., see Levy, J.R. (1263) 253
Hunt, N.H., see Goldstone, S.D. (1263) 114
Hutchins, A.-M., Phillips, P.A., Venter, D.J., Burrell, L.M. and Johnston, C.I.
Molecular cloning and sequencing of the gene encoding a sheep arginine vasopressin type 1a receptor (1263) 266

Ianniciello, G., see Arcari, P. (1263) 86
Ichishima, E., see Yoshida, T. (1263) 159
Iemura, O., see Itoh, S. (1263) 173
Ito, T., see Nakayama, T. (1263) 281
Itoh, S., Iemura, O., Yamada, E., Yoshimura, T., Tsujikawa, K., Kohama, Y. and Mimura, T.
Mouse cytochrome *P*-450 linked ferredoxin: its cDNA cloning and inducibility by dibutyryladenosine 3′,5′-cyclic monophosphate and forskolin (1263) 173
Iwabuchi, M., see Nakayama, T. (1263) 281

Jeitner, T.M., see Goldstone, S.D. (1263) 114
Jerkins, A.A., see Kaisaki, P.J. (1263) 179
Johansson, T. and Nyman, P.O.
The gene from the white-rot fungus *Trametes versicolor* encoding the lignin peroxidase isozyme LP7 (1263) 71
Johnston, C.I., see Hutchins, A.-M. (1263) 266

Kaisaki, P.J., Jerkins, A.A., Goodspeed, D.C. and Steele, R.D.
Erratum to 'Cloning and characterization of rat cysteine sulfinic acid decarboxylase' [Biochim. Biophys. Acta 1262 (1995) 79–82] (1263) 179
Kannangara, C.G., see Willows, R.D. (1263) 228
Kikuchi, Y., see Utsugi, T. (1263) 285
Kohama, Y., see Itoh, S. (1263) 173
Kulik, T., see Bayer, E.A. (1263) 60
Kurata, S.-I., Yamashita, U. and Nakajima, H.
Hyperbaric oxygenation reduces the cytostatic activity and transcription of nitric oxide synthetase gene of mouse peritoneal macrophages (1263) 35

Laughner, B., Lawrence, S.D. and Ferl, R.J.
Two cDNA clones encoding 14-3-3 homologs from tomato fruit (1263) 67
Lavergne, J.-P., see Dumont-Miscopein, A. (1263) 221
Lawrence, S.D., see Laughner, B. (1263) 67
Levy-Holtzman, R. and Schechter, I.
Activity of the promoter of the hsp70 gene of the parasitic helminth *Schistosoma mansoni* in the mammalian CHO cell-line (1263) 96
Levy, J.R., Hannah, S., Mooney, R.L., Hug, V. and Stevens, W.
Sequence and functional characterization of the terminal exon of the human insulin receptor gene (1263) 253
Liebich, I. and Voigt, J.
A *Chlamydomonas* homologue to the 14-3-3 proteins: cDNA and deduced amino acid sequence (1263) 79
Llewellyn, L., Ramsurn, V.P., Sweeney, G.E., Wigham, T., Santos, C.R.A. and Power, D.M.
Cloning and characterisation of a fish aldolase B gene (1263) 75
López-Alañón, D.M., see López-Fernández, L.A. (1263) 10
López-Fernández, L.A., López-Alañón, D.M. and Del Mazo, J.
Different developmental pattern of N-*ras* and *unr* gene expression in mouse gametogenic and somatic tissues (1263) 10

Mackie, G.A., see Nemec, A. (1263) 154
Mandel, J.-L., see Fujita, T. (1263) 249
Martin, L., see Sage, J. (1263) 258
Maruyama, N., see Fujita, T. (1263) 249
Mayer, K., Wolff, E., Clevers, H. and Ballhausen, W.G.
The human high mobility group (HMG)-box transcription factor TCF-1: novel isoforms due to alternative splicing and usage of a new exon IXA (1263) 169
McAllister, J., see Quinn, J.P. (1263) 25
Melo, C.A., see Caputi, M. (1263) 53
Mendelson, S., see Quinn, J.P. (1263) 25
Mimura, T., see Itoh, S. (1263) 173
Mishra, N.C., see Fehér, Z. (1263) 141
Mooney, R.L., see Levy, J.R. (1263) 253
Mundy, G.R., see Feng, J.Q. (1263) 163
Murgia, C., see Barilá, D. (1263) 133
Musarrat, J., Arezina-Wilson, J. and Wani, A.A.
Repair of base alkylation damage in targeted restriction endonuclease sequences of plasmid DNA (1263) 201

Nakajima, H., see Kurata, S.-I. (1263) 35
Nakatani, T., Suzuki, Y., Yoshida, K. and Sinohara, H.
Molecular cloning and sequence analysis of cDNA encoding plasma α-1-antiproteinase from Syrian hamster: implications for the evolution of Rodentia (1263) 245
Nakayama, T., Ito, T. and Iwabuchi, M.
Trans-activation of the wheat histone H3 promoter by Gal4 DNA-binding domain (1–94) in plant cells (1263) 281
Nemec, A., Haywood-Farmer, A. and Mackie, G.A.
Conserved amino acid residues in the primary structure of ribosomal protein S20 from selected Gram-negative bacteria (1263) 154
Neumann, M., see Serfling, E. (1263) 181
Nobili, F., see Barilá, D. (1263) 133
Nyman, P.O., see Johansson, T. (1263) 71

Perozzi, G., see Barilá, D. (1263) 133
Phillips, P.A., see Hutchins, A.-M. (1263) 266
Pontoppidan, B., see Willows, R.D. (1263) 228
Power, D.M., see Llewellyn, L. (1263) 75
Prieto, J., see Bermejo, B. (1263) 45

Quinn, J.P., McAllister, J. and Mendelson, S.
Multiple protein complexes, including AP2 and Sp1, interact with a specific site within the rat preprotachykinin-A promoter (1263) 25

Raimo, G., see Arcari, P. (1263) 86
Ramsurn, V.P., see Llewellyn, L. (1263) 75
Raoul, S., see Buchko, G.W. (1263) 17
Rassoulzadegan, M., see Sage, J. (1263) 258
Reboud, J.-P., see Dumont-Miscopein, A. (1263) 221
Remacha, M., see Bermejo, B. (1263) 45
Revardel, E., Bonneau, M., Durrens, P. and Aigle, M.
Characterization of a new gene family developing pleiotropic phenotypes upon mutation in *Saccharomyces cerevisiae* (1263) 261
Ronsin, C., see Del Gatto, F. (1263) 93

Sage, J., Martin, L., Cuzin, F. and Rassoulzadegan, M.
cDNA sequence of the murine synaptonemal complex protein 1 (SCP1) (1263) 258

Sandor, Z. and Bredberg, A.
Triple helix directed psoralen adducts induce a low frequency of recombination in an SV40 shuttle vector (1263) 235
Santos, C.R.A., see Llewellyn, L. (1263) 75
Schechter, I., see Levy-Holtzman, R. (1263) 96
Scheit, K.H., see Herbers, J. (1263) 271
Serfling, E., Avots, A. and Neumann, M.
The architecture of the Interleukin-2 promoter: a reflection of T lymphocyte activation (1263) 181
Shirai, T., see Fujita, T. (1263) 249
Shirasawa, T., see Fujita, T. (1263) 249
Sinohara, H., see Nakatani, T. (1263) 245
Steele, R.D., see Kaisaki, P.J. (1263) 179
Stevens, W., see Levy, J.R. (1263) 253
Surya, R., see Durgam, V.R. (1263) 89
Suzuki, Y., see Nakatani, T. (1263) 245
Sweeney, G.E., see Llewellyn, L. (1263) 75

Takagi, Y., see Watanabe, H. (1263) 275
Tekmal, R.R., see Durgam, V.R. (1263) 89
Tietze, E. and Brevet, J.
Nucleotide sequence of the bacterial streptothricin resistance gene *sat*3 (1263) 176
Toh-e, A., see Utsugi, T. (1263) 285
Tomoyasu, S., see Watanabe, H. (1263) 275
Tsujikawa, K., see Itoh, S. (1263) 173
Tsuruoka, N., see Watanabe, H. (1263) 275

Utsugi, T., Toh-e, A. and Kikuchi, Y.
A high dose of the *STM1* gene suppresses the temperature sensitivity of the *tom1* and *htr1* mutants in *Saccharomyces cerevisiae* (1263) 285

Venter, D.J., see Hutchins, A.-M. (1263) 266
Voigt, J., see Liebich, I. (1263) 79

Wagner, J.R., see Buchko, G.W. (1263) 17
Wani, A.A., see Musarrat, J. (1263) 201
Watanabe, H., Fukuchi, K., Takagi, Y., Tomoyasu, S., Tsuruoka, N. and Gomi, K.
Molecular analysis of the Cip1/Waf1 (p21) gene in diverse types of human tumors (1263) 275
Watanabe, H., see Domoto, C. (1263) 241
Weinfeld, M., see Buchko, G.W. (1263) 17
Wigham, T., see Llewellyn, L. (1263) 75
Wilchek, M., see Bayer, E.A. (1263) 60
Willows, R.D., Kannangara, C.G. and Pontoppidan, B.
Nucleotides of tRNA (Glu) involved in recognition by barley chloroplast glutamyl-tRNA synthetase and glutamyl-tRNA reductase (1263) 228
Wistow, G. and Graham, C.
The duck gene for αB-crystallin shows evolutionary conservation of discrete promoter elements but lacks heat and osmotic shock response (1263) 105
Wolff, E., see Mayer, K. (1263) 169
Wolff, T. and Bindereif, A.
Mutational analysis of human U6 RNA: stabilizing the intramolecular helix blocks the spliceosomal assembly pathway (1263) 39

Yamada, E., see Itoh, S. (1263) 173
Yamashita, U., see Kurata, S.-I. (1263) 35
Yoshida, K., see Nakatani, T. (1263) 245
Yoshida, T. and Ichishima, E.
Molecular cloning and nucleotide sequence of the genomic DNA for 1,2-α-D-mannosidase gene, *msdC* from *Penicillium citrinum* (1263) 159
Yoshimura, T., see Itoh, S. (1263) 173